

KEPUNI A widely trusted manufacturer in automation field.

ORBITAL WELDING MACHINE

Customized

Installation

After-sales

Training

Integrated service





Email info@kepuniwelder.com







Web www.kepuniwelder.com

Address No.688 Jiaqian Rd, Jiading District, Shanghai 0



/ /				N/ N/
1		AL AL		
	-			10.500







On-demand customization Orbital welding machine

The power supply of the orbital welding machine is composed of the control system, the power supply system and the cooling water tank. This power supply is specially designed and manufactured for pipe welding, which is used in semiconductor, chemical, food, medicine, electronic pipeline, new energy, heat exchanger, refrigeration equipment, water treatment, laboratory and other industries.

Advantages



German rail type pipeline welding process, welding qualification rate is high High definition color 10 inch industrial grade display, can run continuously all day Siemens PLC control system ensures fast operation of welding process parameters Dual cooling system, equipment running without noise, improve the welding head duty ratio Expert welding data accumulation, automatic generation of intelligent expert parameters Real-time monitoring, multiple alarms, timely identification of improper operations One-click printing and automatic printing with built-in mini maintenance-free printer • Add USB interface to realize welding data import and export







Technical parameter

Model	
Duty cycle	
Floating voltage	
Input voltage	
Power	
Welding gun cooling	
Screen	
Partition Free Space	
Insulation grade/Protection grade	
Welding current	
Programmable memory	
Tank Volume	
Weight	
Machine size	
Control function	
Defensive function	
Upgrading of function	 * Argon flow setting * Detection and control * Water flow and temp * Automatic welding g * Welding status indication



XD-20W XD-20PRO						
200A 60%	/155A 100%					
9	0V					
AC220V±10	% 50Hz/60Hz					
4.5 KVA						
Built-in circulati	ng water cooling					
10 inch touch screen						
12						
F/IP21						
5-2	200A					
99	600					
4L 4L						
33KG(Water inclusion 4L)	30KG(don't contain water)					
512*355*350mm	560*360*365mm					
DC/pulse current control / gas control/rotary motion /auto printing/water cooling control						

1. Overvoltage, overload, leakage, arc failure and tungsten needle short circuit protection 2. Water level alarm, water flow alarm, welding torch short circuit alarm, motor current alarm 3. Welding speed detection, arc pressure detection

perature detection un recognition ator


* Import and export recipes/can connect the mouse
 * Heat dissipation channel optimization, better heat dissipation performance







Brand owned by xindun





Closed tube welding gun

Designed and developed special weld head for all position automatic welding of various pipe fittings.


XD-40	XD-80	XD-120	XD-170					
	XD-20Pro	/ XD-20W						
Carbon steel/stainless steel/titanium alloy, etc								
6.35-38.1	10-76.2	19-114.3	38.1-168					
0.5-2.5	0.5-3	0.5-3.0	0.5-3.0					
0.16~2.8	0.1~1.8	0.1~1.8	0.1~1.8					
Water cooling								
	Ar	gon						
3.5	5	6.5	9.5					
381.5*120*48	438.5*172.5*52	513*226.5*48	650*331.5*163					








Enclosed welding torch case diagram













































Miniature welding guns are designed for confined Spaces

≥ 6mm

Straight-line distance

stainless steel/titanium alloy


Model	XD-5H	XD-10H	XD-8H	Eccentric welding				
Main power supply		XD-20Pro	o / XD-20W					
Welding material		Carbon steel/stainless	s steel/titanium alloy, etc					
Welding Diameter Range/mm	3.175-15.88	6.35-25.4	6-12.7	3.175-15.88				
The Maxium Wall Thickness/mm	0.5-1.5	0.5-1.5	0.5-1.5	0.5-1.5				
Torch rotation speed(rpm)	0.6-9.0							
Welding Heads Cooling	Water cooling[XD-8H forced air cooling]							
Protective gas	Argon							
Weight(kg)	1.3	1.8	4	6				
Dimension(mm)	155*70*50	170*100*55	255*66*29	169*74*167				
Straight-line distance	≥19	≥19	≥6	Thick edge 6/ thin edge \geq 1				



Split tube welding gun


Micro welding torch, small size is extremely space-saving, one hand flexible grasp, welding materials are mainly carbon steel/







Micro-tube welding case




90° elbow

T-joint

90° reducing bend

T-tube reducer joint






























U-tube welding gun


Suitable for heat exchanger, refrigeratio titanium alloy.

Model	U12	U16	U21	U25	Tapered welding				
Main distribution power			XD-20W / XD-20Pro						
Weldable material		Carbon	steel/stainless steel/titanium	alloy, etc					
Tube to tube/mm	≥32	≥35	≥42	≥52	≥46				
Straight line section/mm	≥35	≥35	≥35	≥41	≥40				
Elbow straight section/mm	≥38	≥40	≥40	≥40	/				
Pipe diameter range/mm	9-12.7	12.7-15.88 15.88-21		19-25	12.7-21				
Maximum wall thickness		0.5-1.5mm							
Tungsten electrode	2.0mm{U25-2.4}								
Torch cooling		water-cooling							
Protective gas			Argon						
Weight/kg	6.5	7	7.8	8	6				
Size/mm	393.5*80*95	382*80*95	400*80*95	415*110*126	203*180*73				



Suitable for heat exchanger, refrigeration industry, small welding head, welding materials are mainly carbon steel/stainless steel/







Application industry

Mainly used in chemical, food, medicine, boiler, military, nuclear power, heat exchanger and other industries


























Customer's affirmation is our driving force

Recruitment of global agents











Company introduction

Research-manufacturing-sale-after sale integrated enterprise

Shanghai Chuanli Industrial Co., Ltd. is a high-tech enterprise with technological innovation as its core competitiveness, and is a mature integrated enterprise integrating research and development, manufacturing, sales and service.



The company's core R & D team has rich R & D experience in the field of automation, has always been oriented to meet customer needs, seeking R & D oriented methods, and is committed to providing customers with suitable and reliable products. The company has independent research and development rights of products including track welding machine/tube plate welding machine/automatic welding platform/handheld laser welding machine/automatic shaft repair equipment, etc., to realize the concept of intelligent products and automation.





Brand strength

The company is headquartered in the international metropolis of Shanghai, covering an area of approximately 8 000 square meters, It has offices in Tianjin, Guangzhou, Chongqing, Anhui, and Jiangsu. In recent years, the company has been actively expanding its online, offline and overseas markets, establishing brand value. The machines are widely sold to developed countries such as the United States, Japan, Singapore, etc, have gained more recognition from enterprises in the international market.











Brand owned by xindun

Condition of business










Non-trading company with offline physical factories











Qualification certificate

We insist on 'speaking with authority and quality'



National high-tech enterprises ISO9001-ISO45001-ISO14001 Eu CE certification

5

Utility model patent certificate

As of July 2024, the company has obtained dozens of utility model patents

2	2	외	외	হা	य	2	2	3	2	য়	2	2	3	य	实用新型专利证书
-1.11#12.02.1-4	********	-1.11#12.00.1-4	大用新型品标 ; ~*	*/1###264 1 #	*******	SHEEDERT HA	*******	北州田村名称 (********	*19##1841*	*******	*########	·长用新型品标)	*******	ATIFATER - MARGONARY
2 W A 68	R W ALBS	2 W ALM	2 W A 60	X 10 A 60	2 17 A 68	A IT ALBS	2 W A 64	2 W A 64	X 10 A 60	X 17 A 60	2 W A 60	E IF ALBS	2 W A 61	2 W A 60	A H A BEARS
0 N 0+21.	9 (A) (G+ 21.)	0 40 Gr.2L	0 A 10+21.	0 10 10+21.	0 40 10+21.2	9 H 5+21.	0 K 0+21.	0 A 0+21.	0 (A) (0+2L)	0 10 10+21.	0 10 10+21.	0 H 5+21.	0 Al 0+21.	0 AL 0+21.	9 FI 57 ZL 305 2 0662663.4
	O R O II II 202	O R O IN TH ME	OROMEL 242	0 H 0 H 11 32	0 H 0 II II 202	O R O IN TH 202	0 H 0 H 11 242	0 H 0 H 11 24	O R O II II 202	0 H 0 H 11 24	O R O II II 202	O R O II II 202	O RI O IN TH AND	O R O M TL 202	♦ H ⊕ in II, authoritani
S IF RE ALLER	OF N ALLA	STRALL	OF N ALLER	STRALER	S. H. N. A. LB	STRALER	S. H. N. A. LA	S IF RE ALLER	S H N ALLA	SH N ALLE	SHNALL	SHNALER	- 11 18 A. 1.1	S F R ALLA	TH N A. LHERDORRADS
16 11, 201	2. 11, 30	1. 11, 30	1. 11, 201	26 10, 201	26 11, 201	20 11, 200	28 11, 200	26 11, 201	26 11, 201	16 11, 201	16 11, 201	2. 11, 20	1. 11, 300	2. 11, 201	地 田, 2010年上市1000月市100日日1-50月30時155AC
成权之告 16 20	R8.286.28	股权业告书:30	88.266.20	· · · · · · · · · · · · · · · · · · ·	88.286.38	股权业告书:302	段秋点告书:30	88.261.38	R8.286.28	88.286.38	R8.286.30	报机会会问: 如	股权之告 15.202	88.2510.20	股权会告日;2023年8月8日 股权会告号, CN 27464635 U
		825000000 900000000	##2012/0.00 *#25###*#21	882402400 91088449021		8252545 910584595	82602000	8840,240	852000000	882402400 91128449021	82202000	82200-000 9110-00-000	8250.0000 9112.00000	825000400 910000000	据发知识户就局限状中等人式在知道专行法划过的多节角。法定投资专利权、强引 专利过程再启专列整定发上中达学生、专利效果组织公共工程发展、专利政府结构
RIGE.	1142. 01/152401	1143. 91/15249/	1143. anistaa	1148. anaszeai	#143.	1143.	HIGH.	1143. 	1142. 01/152401	1143. 01/15/401	#148.	1143. 01052401	1163. 2015564	1143. 20052621	BRUSCHERNERCHMEREN, BRARRES, MR. CR. M. B.
ARE5468, 8	ARESASE, B	AREEALD, B	ARESASE, RI	Anazada, ai	ARES. 69	ARESSER, B	AREAAR, B	AREEASE, R.	AREEASE, B	Anasaan, ai	Anie Sadar, Ai	And SAAR, B	Anica.48. 8	ARGE&&#; #)	************************************
									-	-					
用长	用长	局长	局长	用长	用长	局长	局长	用长	局长	用长	用长	用长	局长	用长	** 中午雨
中长雨	中长雨	中长雨	中长雨	中长雨	中长雨	中长雨	中长雨	中长雨	中长雨	中长雨	中长雨	中长雨	中长雨	中长雨	# 5 M

Software authoring certificate

中华人民共和国国 计算机软件 洋作者 中华人民共和国国 计算机软件 洋作者 中 年 人 法考察在他的主题的 考察是因用。 2009年6月201 官派是因本。2009年6月201 官派是因本。2009年6月201 官派是因本。2009年6月201 官派是因本。2009年6月201	нфАСВДАНСКИ НФАСВДАНСКИ НОВДА НОВДАНСКИ НОВ	中华人民共和国国 计算机软件 芥作名 、 1 算机软件 芥作名 、 0 0 0 人 2008年000月1日 国政国語 2009年0月1日 国政国語 2009年0月1日 国政国語 2009年0月1日 国政国語 2009年0月1日 国政国語 2009年0月1日 国政国語 2009年1日 日本日本 1 日本日本 1 日本 1 日本	нф. К.К.К.К.К.К.К.К.К.К.К.К.К.К.К.К.К.К.К
R R R R. ±88R	秋州 田 田 金田松和	R R R R. 2888	秋利 田 田 全部化和

Software product certificate
















Details determine quality, and quality comes from professional technology





Email info@kepuniwelder.com



After-sale service

Different configuration warranty period is different, the details to consult the sales personnel.

During the warranty period, Xindun is responsible for free replacement of parts and services for any damage or damage caused by the quality of the equipment, except for conventional consumables (protective lenses, copper mouths, etc.) and those responsible for illegal operation.

KEPUNI provides lifetime maintenance services for the products provided, and provides daily consultation and guidance related to the equipment at any time. After the warranty period, it still provides users with extensive and preferential technical support and spare parts supply.

24-hour customer service online, ready to help you solve problems

KEPUNI promises to timely inform users of software upgrades and provide free software upgrade services.

KEPUNI has sufficient spare parts and accessories, which can timely provide technical services and spare parts services to users to meet the needs of equipment maintenance.

